

SEP 29 2006

Attorney Docket: 112.P55008

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application. Where claims have been amended and/or canceled, such amendments and/or cancellations are done without prejudice and/or waiver and/or disclaimer to the claimed and/or disclosed subject matter, and the applicant and/or assignee reserves the right to claim this subject matter and/or other disclosed subject matter in a continuing application.

1-14 (Cancelled)

15. (Currently Amended) A multimedia data file producer adapted to be used with a personal computer, comprising:

an image pickup device capable of receiving an image signal and further capable of transforming said image signal into a first analog signal;

a sound pickup device capable of receiving a sound signal and further capable of transforming said sound signal into a second analog signal;

a first analog-digital converter electrically connected to said image pickup device, said first analog-digital converter capable of converting said first analog signal into a first digital signal;

a second analog-digital converter electrically connected to said sound pickup device, said second analog-digital converter capable of converting said second analog signal into a second digital signal; and

a processor electrically connected to said first and second analog-digital converters, the processor capable of producing a multimedia data file if the second digital signal matches a predetermined data, ~~wherein the multimedia data file comprises digital image and sound information derived from the first and second digital signals.~~

16. (Previously Presented) The multimedia data file producer according to claim 15, wherein said image pickup device comprises:

a lens set capable of focusing said image signal; and
a photo-electric converting element capable of sensing said focused image signal to generate said first analog signal.

17. (Previously Presented) The multimedia data file producer according to claim 16, wherein said photo-electric converting element comprises a charge coupled device.

18. (Currently Amended) The multimedia data file producer according to claim 16, wherein said photo-electric[[al]] converting element comprises a contact image sensor.

19. (Previously Presented) The multimedia data file producer according to claim 16, wherein said image pickup device further comprises a reflection mirror set capable of transmitting said image signal to said lens set.

20. (Previously Presented) The multimedia data file producer according to claim 15, wherein said sound pickup device comprises:

a microphone capable of receiving said sound signal and further capable of transforming said sound signal into said second analog signal; and

a filter capable of filtering noise from said second analog signal.

21. (Previously Presented) The multimedia data file producer according to claim 20, wherein said noise has a frequency beyond a range of a human voice.

22-27 (Cancelled)

28. (Currently Amended) A multimedia data file producer, comprising:
an image pickup device capable of generating an image digital signal of an object;

a sound pickup device capable of generating a sound digital signal and a voice signal capable of being used in a voice recognition routine;

a multiplexer capable of combining said image digital signal and said sound digital signal; and

a processor connected to said multiplexer, the processor capable of receiving an output of said multiplexer and further capable of producing a multimedia data file comprising digital image and sound information if said ~~sound digital~~ voice signal matches predetermined data.

29. (Previously Presented) The multimedia data file producer of claim 28, further comprising:

a first analog-digital converter capable of converting an image analog signal to said image digital signal; and

a second analog-digital converter capable of converting a sound analog signal to said sound digital signal.

30. (Previously Presented) The multimedia data file producer of claim 29, wherein said image pickup device comprises:

a reflection mirror set;

a lens set capable of focusing said object; and

a photo-electric converting element capable of sensing said object to generate said image analog signal.

31. (Previously Presented) The multimedia data file producer of claim 30, wherein said photo-electric converting element comprises a charge coupled device.

32. (Previously Presented) The multimedia data file producer of claim 30, wherein said photo-electric converting element comprises a contact image sensor.

33. (Previously Presented) The multimedia data file producer of claim 29, wherein said sound pickup device comprises:

a microphone capable of receiving sound and producing said sound analog signal; and

a filter capable of filtering noise from the sound analog signal.

34. (Currently Amended) The multimedia data file producer of claim 28, wherein said processor is capable of producing the multimedia data file ~~at least in part~~ via multitasking.

35. (Currently Amended) A method for producing a multimedia data file for use with a personal computer, comprising:

receiving an image signal;

transforming the image signal into a first analog signal;

receiving a sound signal;

transforming the sound signal into a second analog signal;

receiving a voice signal;

converting the first analog signal into a first digital signal;

converting the second analog signal into a second digital signal;

analyzing the ~~second digital~~ voice signal; and

producing a multimedia data file comprising digital image and sound information derived from the first and second digital signals if the ~~second digital~~ voice signal matches a predetermined data.

36. (Previously Presented) The method of claim 35, wherein receiving the image signal comprises focusing the image signal using a lens set, and further wherein transforming the image signal into a first analog signal comprises sensing said focused image signal.

37. (Previously Presented) The method of claim 35, wherein transforming the image signal into a first analog signal comprises transforming the image signal using a charge coupled device (CCD).

38. (Previously Presented) The method of claim 35, wherein transforming the image signal into a first analog signal comprises transforming the image signal using a contact image sensor (CIS).

39. (Previously Presented) The method of claim 35, wherein transforming the image signal into a first analog signal comprises sensing an image using a scanning device.

40. (Currently Amended) An apparatus, comprising:

- means for receiving an image signal;
- means for transforming the image signal into a first analog signal;
- means for receiving a sound signal;
- means for transforming the sound signal into a second analog signal;
- means for receiving a voice signal;
- means for converting the first analog signal into a first digital signal;
- means for converting the second analog signal into a second digital signal;
- means for analyzing the ~~second digital~~ voice signal; and
- means for producing a multimedia data file comprising digital image and sound information derived from the first and second digital signals if the ~~second digital~~ voice signal matches a predetermined data.

41. (Previously Presented) The apparatus of claim 40, wherein the means for receiving the image signal comprises means for focusing the image signal, and further wherein the means for transforming the image signal into a first analog signal comprises means for sensing said focused image signal.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.